


CK78A**Medical Hygiene Keyboard**

CK78A

Main Features

78 low profile scissor keys

EasyClean key combination temporarily disables all keys for efficient disinfection

Crevice-free silicone surface can be sprayed and wiped

Quickly cleaned and disinfected with hospital-approved germicidal wipes

Powered by patented cleaning scheduling and detection software

With VESA-mounting holes (75x75mm) for mounting to different equipment

With Optional Backlit version

With two cable options:

- IP65: detachable type C cable
- IP68: built-in sealed cable

Support three interfaces: USB, Bluetooth and RF (2.4G)

With built-in rechargeable lithium battery (for wireless version)

Medical Hygiene Keyboard

Technical Data

[Electronics]

[USB]

Input Voltage Range: 5V

Max current consumption:

- less than 100mA (non-backlit version)
- less than 150mA (backlit version)

[Wireless]

Lithium Battery Capacity: 1000mAH

[RF]

- Working current: 7mA
- Sleeping current: 250uA

[Bluetooth]

- Working current: 8mA
- Sleeping current: 250uA

[Mechanical]

Number of Keys: 78

Key strokes life: 10 million

Key Travel Distance: 2mm

[Others]


Storage temperature: -40°C to +55°C

Operating temperature: 0°C to +45°C

Operating humidity: 40% to 90%

Dimensions: 285 x 140 x 17 mm

Approval and Compliance: FCC / CE / RoHS / REACH



HENGYU

Heng Yu Technology (HK) Limited
<http://www.hengyu-tech.com>